

THIS DRAWING IS THE EXCLUSIVE PROPERTY OF SP INDUSTRIES, INC. AND EMBODIES A CONFIDENTIAL PROPRIETARY DESIGN. SP INDUSTRIES, INC. RESERVES ALL PROPRIETARY RIGHTS IN THIS DRAWING AND IN THE SUBJECT MATERIAL AND INVENTIONS DISCLOSED HEREIN, INCLUDING THE EXCLUSIVE RIGHT TO USE THE DRAWING FOR ALL PURPOSES. THIS DRAWING IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE, AND THE RECIPIENT AGREES, BY ACCEPTING THIS DRAWING, NOT TO ALLOW THIS DRAWING TO BE REPRODUCED OR TO SUPPLY OR DISCLOSE ANY INFORMATION REGARDING THE DRAWING OR THE SUBJECT MATTER THEREOF TO ANY OTHER PERSON WITHOUT THE EXPRESS WRITTEN CONSENT OF SP INDUSTRIES, INC.

SYM.	CHANGE OR REVISION	DATE	BY
A	ADD CONTAINER GUIDE ISLAND; ADD CLOSURE PANELS	01/31/17	DC






TABLE 1 DISCONNECT & VARIABLE COMPONENTS
COMPONENT VALUES MARKED WITH ASTERISK (*) ARE RECOMMENDED VALUES ONLY FOR A MOTOR. INSTALLING CONTRACTOR MUST CONSULT ALL LOCAL CODES FOR CONFORMITY.

VOLTAGE 3Ø-VAC	FULL LOAD MTR. CURRENT- AMP	SIZE OF (*) DISCONNECT	SIZE OF (*) FUSES (AMP)	RECOMM. (*) WIRE SIZE
208	30.8+30.8	100	80.0	4
230	28.0+28.0	100	70.0	6
460	14.0+14.0	60	35.0	8

SP INDUSTRIES
HOPKINS, MICHIGAN 49328

PRINT APPROVAL REQUEST

APPROVED AS SHOWN
 APPROVED AS MARKED
 NOT APPROVED COMMENTS _____

SIGNED _____ DATE _____

SP Industries, Inc. *Systems that Work!* HOPKINS, MI

TOLERANCES
FRAC. ±1/16
.XX ±.015
.XXX ±.005

TITLE: PROPOSED INSTALLATION OF A MODIFIED CP-4101 (68" CHAMBER) AND ROLO-2000-48 DUMPING CUSTOMERS RUBBERMAID #4616 CARTS

DRAWN: D CHURCH	DATE: 01/13/2017	USED ON: SCALE: 1:28	BUILD: DRAWING NO: DP-27327	REV: A
CHECKED BY: #	WEIGHT: #	SHEET: 1 OF 3		

THIS DRAWING IS THE EXCLUSIVE PROPERTY OF SP INDUSTRIES, INC. AND EMBODIES A CONFIDENTIAL PROPRIETARY DESIGN. SP INDUSTRIES, INC. RESERVES ALL PROPRIETARY RIGHTS IN THIS DRAWING AND IN THE SUBJECT MATERIAL AND INVENTIONS DISCLOSED HEREIN, INCLUDING THE EXCLUSIVE RIGHT TO USE THE DRAWING FOR ALL PURPOSES. THIS DRAWING IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE, AND THE RECIPIENT AGREES, BY ACCEPTING THIS DRAWING, NOT TO ALLOW THIS DRAWING TO BE REPRODUCED OR TO SUPPLY OR DISCLOSE ANY INFORMATION REGARDING THE DRAWING OR THE SUBJECT MATTER THEREOF TO ANY OTHER PERSON WITHOUT THE EXPRESS WRITTEN CONSENT OF SP INDUSTRIES, INC.

SYM.	CHANGE OR REVISION	DATE	BY
A	ADD CONTAINER GUIDE ISLAND; ADD CLOSURE PANELS	01/31/17	DC






TABLE 1 DISCONNECT & VARIABLE COMPONENTS
COMPONENT VALUES MARKED WITH ASTERISK (*) ARE RECOMMENDED VALUES ONLY FOR A MOTOR. INSTALLING CONTRACTOR MUST CONSULT ALL LOCAL CODES FOR CONFORMITY.

VOLTAGE 3Ø-VAC	FULL LOAD MTR. CURRENT- AMP	SIZE OF (*) DISCONNECT	SIZE OF (*) FUSES (AMP)	RECOMM. (*) WIRE SIZE
208	30.8+30.8	100	80.0	4
230	28.0+28.0	100	70.0	6
460	14.0+14.0	60	35.0	8

SP INDUSTRIES
HOPKINS, MICHIGAN 49328

PRINT APPROVAL REQUEST

APPROVED AS SHOWN
 APPROVED AS MARKED
 NOT APPROVED COMMENTS _____

SIGNED _____ DATE _____

SIP Industries, Inc. *Systems that Work!* HOPKINS, MI

TOLERANCES
FRAC. ±1/16
.XX ±.015
.XXX ±.005

TITLE:
PROPOSED INSTALLATION OF A MODIFIED CP-4101 (68" CHAMBER) AND ROLO-2000-48 DUMPING CUSTOMERS RUBBERMAID #4616 CARTS


DRAWN: D CHURCH
DATE: 01/13/2017
JOB NO: _____

USED ON: _____
SCALE: 1:28
SHEET: 2 OF 3

BUILD: _____
DRAWING NO: DP-27327
REV: A

THIS DRAWING IS THE EXCLUSIVE PROPERTY OF SP INDUSTRIES, INC. AND EMBODIES A CONFIDENTIAL PROPRIETARY DESIGN. SP INDUSTRIES, INC. RESERVES ALL PROPRIETARY RIGHTS IN THIS DRAWING AND IN THE SUBJECT MATERIAL AND INVENTIONS DISCLOSED HEREIN, INCLUDING THE EXCLUSIVE RIGHT TO USE THE DRAWING FOR ALL PURPOSES. THIS DRAWING IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE, AND THE RECIPIENT AGREES, BY ACCEPTING THIS DRAWING, NOT TO ALLOW THIS DRAWING TO BE REPRODUCED OR TO SUPPLY OR DISCLOSE ANY INFORMATION REGARDING THE DRAWING OR THE SUBJECT MATTER THEREOF TO ANY OTHER PERSON WITHOUT THE EXPRESS WRITTEN CONSENT OF SP INDUSTRIES, INC.

SYM.	CHANGE OR REVISION	DATE	BY
A	ADD CONTAINER GUIDE ISLAND; ADD CLOSURE PANELS	01/31/17	DC



SP INDUSTRIES
HOPKINS, MICHIGAN 49328


PRINT APPROVAL REQUEST

APPROVED AS SHOWN
 APPROVED AS MARKED
 NOT APPROVED COMMENTS _____

SIGNED _____ DATE _____

TABLE 1 DISCONNECT & VARIABLE COMPONENTS
COMPONENT VALUES MARKED WITH ASTERISK (*) ARE RECOMMENDED
VALUES ONLY FOR A MOTOR. INSTALLING CONTRACTOR MUST CONSULT
ALL LOCAL CODES FOR CONFORMITY.

VOLTAGE 3 ϕ -VAC	FULL LOAD MTR. CURRENT- AMP	SIZE OF (*) DISCONNECT	SIZE OF (*) FUSES (AMP)	RECOMM. (*) WIRE SIZE
208	30.8+30.8	100	80.0	4
230	28.0+28.0	100	70.0	6
460	14.0+14.0	60	35.0	8



HOPKINS, MI

Systems that Work!

<p>TOLERANCES FRAC. ±1/16 .XX ±.015 .XXX ±.005</p>	<p>TITLE: PROPOSED INSTALLATION OF A MODIFIED CP-4101 (68" CHAMBER) AND ROLO-2000-48 DUMPING CUSTOMERS RUBBERMAID #4616 CARTS</p>				
<p>DRAWN: D CHURCH</p>	<p>DATE: 01/13/2017</p>	<p>USED ON: -</p>	<p>BUILD:</p>	<p>REV: A</p>	
<p>CHECKED BY:</p>	<p>WEIGHT: #</p>	<p>SCALE: 1:24</p>	<p>DRAWING NO: DP-27327</p>		
		<p>SHEET: 3 OF 3</p>			