

THIS DRAWING IS THE EXCLUSIVE PROPERTY OF SP INDUSTRIES, INC. AND EMBODIES A CONFIDENTIAL PROPRIETARY DESIGN. SP INDUSTRIES, INC. RESERVES ALL PROPRIETARY RIGHTS IN THIS DRAWING AND IN THE SUBJECT MATERIAL AND INVENTIONS DISCLOSED HEREIN, INCLUDING THE EXCLUSIVE RIGHT TO USE THE DRAWING FOR ALL PURPOSES. THIS DRAWING IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE, AND THE RECIPIENT AGREES BY ACCEPTING THIS DRAWING TO NOT TO ALLOW THIS DRAWING TO BE REPRODUCED OR TO SUPPLY OR DISCLOSE ANY INFORMATION REGARDING THIS DRAWING OR THE SUBJECT MATTER THEREOF TO ANY OTHER PERSON WITHOUT THE EXPRESS WRITTEN CONSENT OF SP INDUSTRIES, INC.

SYM.	CHANGE OR REVISION	DATE	BY


SP INDUSTRIES

HOPKINS, MICHIGAN 49328




PRINT APPROVAL REQUEST

- APPROVED AS SHOWN
- APPROVED AS MARKED
- NOT APPROVED COMMENTS _____

SIGNED _____ DATE _____



*CUSTOMER'S CART FOR ACCURATE BUILD OF DUMPER PLEASE SHIP CARTS TO SP-INDUSTRIES OR PROVIDE ACCURATE AND DETAILED DRAWINGS OF CARTS.



ISIP Industries, Inc. *Systems that Work!* HOPKINS, MI

TOLERANCES
 FRAC. ±1/16
 .XX ±.015
 .XXX ±.005

TITLE:
 PROPOSED THRU-WALL INSTALLATION OF A CP-4101-HD WITH REAR-LOAD HOPPER FED BY A ROLO-4000-48 DUMPING CUSTOMER'S CART

DRAWN: C. JOHNSON	DATE: 11/17/2017	USED ON: CP-4101-HD	BUILD: SALES PROPOSAL	REV:
TEMPLATE SIZE: D	JOB NO:	SCALE: 1:30	DRAWING NO:	
CHECKED BY:	WEIGHT: #	SHEET: 1 OF 3	DP-27477	

TABLE 1 DISCONNECT & VARIABLE COMPONENTS
 COMPONENT VALUES MARKED WITH ASTERISK (*) ARE RECOMMENDED
 VALUES ONLY FOR A 20HP & 10HP MOTOR. INSTALLING CONTRACTOR MUST CONSULT
 ALL LOCAL CODES FOR CONFORMITY.

VOLTAGE 3Ø-VAC	FULL LOAD MTR. CURRENT-AMP	SIZE OF (*) DISCONNECT	SIZE OF (*) FUSES (AMP)	RECOMM. (*) WIRE SIZE
208	90.2	200	125.0	2
230	82.0	100	100.0	3
460	41.0	60	50.0	8

THIS DRAWING IS THE EXCLUSIVE PROPERTY OF SP INDUSTRIES, INC. AND EMBODIES A CONFIDENTIAL PROPRIETARY DESIGN. SP INDUSTRIES, INC. RESERVES ALL PROPRIETARY RIGHTS IN THIS DRAWING AND IN THE SUBJECT MATERIAL AND INVENTIONS DISCLOSED HEREIN, INCLUDING THE EXCLUSIVE RIGHT TO USE THE DRAWING FOR ALL PURPOSES. THIS DRAWING IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE, AND THE RECIPIENT AGREES BY ACCEPTING THIS DRAWING TO NOT TO ALLOW THIS DRAWING TO BE REPRODUCED OR TO SUPPLY OR DISCLOSE ANY INFORMATION REGARDING THIS DRAWING OR THE SUBJECT MATTER THEREOF TO ANY OTHER PERSON WITHOUT THE EXPRESS WRITTEN CONSENT OF SP INDUSTRIES, INC.

SYM.	CHANGE OR REVISION	DATE	BY


SP INDUSTRIES

HOPKINS, MICHIGAN 49328

PRINT APPROVAL REQUEST

- APPROVED AS SHOWN
- APPROVED AS MARKED
- NOT APPROVED COMMENTS _____

SIGNED _____ DATE _____



*CUSTOMER'S CART FOR ACCURATE BUILD OF DUMPER PLEASE SHIP CARTS TO SP-INDUSTRIES OR PROVIDE ACCURATE AND DETAILED DRAWINGS OF CARTS.






TABLE 1 DISCONNECT & VARIABLE COMPONENTS
COMPONENT VALUES MARKED WITH ASTERISK (*) ARE RECOMMENDED
VALUES ONLY FOR A 20HP & 10HP MOTOR. INSTALLING CONTRACTOR MUST CONSULT
ALL LOCAL CODES FOR CONFORMITY.

VOLTAGE 3Ø-VAC	FULL LOAD MTR. CURRENT-AMP	SIZE OF (*) DISCONNECT	SIZE OF (*) FUSES (AMP)	RECOMM. (*) WIRE SIZE
208	90.2	200	125.0	2
230	82.0	100	100.0	3
460	41.0	60	50.0	8

ISP Industries, Inc. *Systems that Work!* HOPKINS, MI

TOLERANCES FRAC. ±1/16 .XX ±.015 .XXX ±.005		TITLE: PROPOSED THRU-WALL INSTALLATION OF A CP-4101-HD WITH REAR-LOAD HOPPER FED BY A ROLO-4000-48 DUMPING CUSTOMER'S CART		
DRAWN: C. JOHNSON	DATE: 11/17/2017	USED ON: CP-4101-HD	BUILD: SALES PROPOSAL	REV:
TEMPLATE SIZE: D	JOB NO:	SCALE: 1:30	DRAWING NO:	
CHECKED BY:	WEIGHT: #	SHEET: 2 OF 3	DP-27477	

THIS DRAWING IS THE EXCLUSIVE PROPERTY OF SP INDUSTRIES, INC. AND EMBODIES A CONFIDENTIAL PROPRIETARY DESIGN. SP INDUSTRIES, INC. RESERVES ALL PROPRIETARY RIGHTS IN THIS DRAWING AND IN THE SUBJECT MATERIAL AND INVENTIONS DISCLOSED HEREIN, INCLUDING THE EXCLUSIVE RIGHT TO USE THE DRAWING FOR ALL PURPOSES. THIS DRAWING IS SUBMITTED UNDER A CONFIDENTIAL RELATIONSHIP FOR A SPECIFIC PURPOSE, AND THE RECIPIENT AGREES BY ACCEPTING THIS DRAWING TO NOT TO ALLOW THIS DRAWING TO BE REPRODUCED OR TO SUPPLY OR DISCLOSE ANY INFORMATION REGARDING THE DRAWING OR THE SUBJECT MATTER THEREOF TO ANY OTHER PERSON WITHOUT THE EXPRESS WRITTEN CONSENT OF SP INDUSTRIES, INC.

SYM.	CHANGE OR REVISION	DATE	BY


SP INDUSTRIES

HOPKINS, MICHIGAN 49328

PRINT APPROVAL REQUEST

- APPROVED AS SHOWN
- APPROVED AS MARKED
- NOT APPROVED COMMENTS _____

SIGNED _____ DATE _____



*CUSTOMER'S CART FOR ACCURATE BUILD OF DUMPER PLEASE SHIP CARTS TO SP-INDUSTRIES OR PROVIDE ACCURATE AND DETAILED DRAWINGS OF CARTS.




TABLE 1 DISCONNECT & VARIABLE COMPONENTS
 COMPONENT VALUES MARKED WITH ASTERISK (*) ARE RECOMMENDED
 VALUES ONLY FOR A 20HP & 10HP MOTOR. INSTALLING CONTRACTOR MUST CONSULT
 ALL LOCAL CODES FOR CONFORMITY.

VOLTAGE 3 Ø -VAC	FULL LOAD MTR. CURRENT- AMP	SIZE OF (*) DISCONNECT	SIZE OF (*) FUSES (AMP)	RECOMM. (*) WIRE SIZE
208	90.2	200	125.0	2
230	82.0	100	100.0	3
460	41.0	60	50.0	8

ISP Industries, Inc. *Systems that Work!* HOPKINS, MI

TOLERANCES
 FRAC. ±1/16
 .XX ±.015
 .XXX ±.005

TITLE:
 PROPOSED THRU-WALL INSTALLATION OF A CP-4101-HD
 WITH REAR-LOAD HOPPER FED BY A ROLO-4000-48
 DUMPING CUSTOMER'S CART

DRAWN: C. JOHNSON	DATE: 11/17/2017	USED ON: CP-4101-HD	BUILD: SALES PROPOSAL	REV:
TEMPLATE SIZE: D	JOB NO:	SCALE: 1:30	DRAWING NO:	
CHECKED BY:	WEIGHT: #	SHEET: 3 OF 3	DP-27477	